


Polytherm[®]

Heating Systems

Complete Price List

March 2019



Underfloor Heating Pricelist March 2019







PEXc HD				SLIT CORRUGATED SLEEVE				
PEXc HD MAX OPP. 90 DEG C @ 8 BAR								
	Size	Code	Price/M		Size	Code	Price/M	
	10.5 x 1.25mm (200m Coils)	PEX10200	€0.90		14mm (25m Coils)	7221	€0.98	
	10.5 x 1.25mm (300m Coils)	PEX10300	€0.90		17mm (25m Coils)	1050b	€0.98	
	10.5 x 1.25mm (500m Coils)	PEX10500	€0.90					
	10.5 x 1.25mm (1200m Coils)	PEX101200	€0.87					
	14 x 2mm (120m Coils)	PEX14120	€1.00					
	14 x 2mm (200m Coils)	PEX14200	€1.00					
	14 x 2mm (750m Coils)	PEX14750	€1.00					
	16 x 2mm (200m Coils)	PEX16200	€1.10					
	16 x 2mm (650m Coils)	PEX16650	€1.10					
	20 x 2mm (240m Coils)	PEX20240	€1.50					
	LIGHT GAUGE MULTILAYER PIPE							
	PE AL PE MAX. OPP. 70 DEG C @ 6 BAR							
USED MAINLY FOR UFH APPLICATIONS								
	Size	Code	Price/M					
	16 x 2mm (200m Coil)	PEALPE16X200	€0.98					
	16 x 2mm (500m Coil)	PEALPE16X500	€0.98					



Underfloor Heating Pricelist March 2019


<u>BEND FORMERS</u>				<u>EUROCONES</u>				
	Size	Code	Euro		Size	Code	Euro	
	10/17 mm	7230	€0.80		3/4" - 3/4" Couplin/Nipple	950310004	€1.74	
	16/18 mm	1054	€1.00		3/4" - 1/2" Male Thread	950311043	€1.74	
	20 mm	1055	€1.40		3/4" - 3/4" Male Thread	950311044	€1.74	
	25 mm	1057	€2.50		10.5x1.25mm - 1/2"	7044	€5.00	
				10.5mm Coupling	7043	€6.00		
				1/2" Brass Socket	BSKT050	#N/A		
<u>MANIFOLD UNIONS</u>				<u>BALL VALVES</u>				
	Size	Code	Euro		Size	Code	Euro	
	10.5 x 1.25mm	MU10x1.25	€6.20		1"-3/4" No Temp Guages	500300045	€14.60	
	14 x 2mm	950378001	€1.74		1"- 1" No Temp Guages	500300005	€23.00	
	16 x 2mm	950378012	€1.64		1"- 1" c/w Temp Guages	500310005	€36.70	
	20 x 2mm	950378003	€1.95		1" Fibre Washer For Valves	POLYFW	€0.50	
				Brass Manifold Flow Valve	2095	€25.00		
				Brass Manifold Return Valve	2096	€25.00		
				S/Steel Manifold Flowmeter	500300001	€12.00		
				S/Steel Manifold Return Valve	500300002	€12.00		
<u>STAINLESS STEEL MANIFOLDS C/W FLOW METRES</u>				<u>SURFACE MOUNTED MANIFOLD CABINETS</u>				
	Size	Code	Euro		Size	Code	Euro	
	2 Port	500200002	€76.65		3 - 5 Port (560mm)	2520	€117.60	
	3 Port	500200003	€98.70		6 - 8 Port (700mm)	2521	€136.50	
	4 Port	500200004	€119.70		9 - 12 Port (1000mm)	2522	€162.75	
	5 Port	500200005	€140.70					
	6 Port	500200006	€162.75					
	7 Port	500200007	€183.75					
	8 Port	500200008	€204.75					
	9 Port	500200009	€226.80					
	10 Port	500200010	€247.80					
	11 Port	500200011	€268.80					
	12 Port	500200012	€290.85					
	S/S Hex Nipple 1"	SCRHXN36100	POA					
<u>RECESSED MANIFOLD CABINET</u>				<u>TUBE HOLDING BARS/ MOUNTING RAIL</u>				
	Size	Code	Euro		Size	Code	Euro/Pack	
	3 - 5 Port (560mm)	2450	€101.85		16 x 2mm (2m Lengths, 32m Pack)	PCR16	€54.40	
	6 - 8 Port (700mm)	2451	€110.25		20 x 2mm (2m Lengths, 32m Pack)	PCR20	€59.20	
	9 - 12 Port (1000mm)	2452	€134.40					
<u>CLIPS</u>				<u>HEATRACK</u>				
	Size	Code	Euro/Bag		Size	Pack	Code	Euro/Pack
	50mm Red Cips (500/Bag)	PRC50	€0.07		Single Panel	10	7500	€84.24
55mm Black Clips (300/Box)	E2L	€0.10	Pre-Fab		1	7501	€575.64	
					U-Turn	10	7502	€124.20
					Silicone	1	7511	€129.60
					Multirun Panels	5	7503	€264.60
					Access Pieces	12	7504	€68.04
					Multi C-Turn Pieces	5	7505	€64.80
				Uni-track Panel	1	7506	€25.40	
<u>TACKER GUN</u>				<u>POLYCOMFORT</u>				
	Size	Code	Euro		Size	Code	Euro/m	
	Tacker Gun	PTG	€260.00		10mm Polycomfort Panel	7201	€120.00	
					Black Polycomfort Panel	7202 per box	€161.28	
					Edge Insulation Strip (50m)	ISS0C	€10.50	
					Expansion Joint (1.8mtr)	7337B	€84.00	
					15mm Profile (25m Coil)	7224	€5.25	
					Floor Screed Additive (10Kg)	EH10	€30.00	


Underfloor Heating Pricelist March 2019


ROOM MIXING STATION				OVENTROP DIVERTER VALVE			
	Mixing Station For Manifold	PMS100A	€363.00		Size	Code	Euro
	Pump for Manifold	PUP100	€148.00		3 Way 3/4" Diverter Valve	ODV075	€112.89
	Plug Assembly	PMS100APA	€12.00		3 Way 1" Diverter Valve	ODV100	€114.00
			3 Way 1 1/2" Diverter Valve		ODV150	€189.00	
			3/4" Tail Pieces (pack)		OTP075	€17.63	
			1" Tail Pieces (pack)		OTP100	€25.00	
			1 1/2" Tail Pieces (pack)		OTP150	€59.39	
			30/60 Deg. Temp Controller		OTC30/60	€132.58	
			40/70 Deg. Temp Controller		OTC40/70	€100.00	
SYSTEM LINK MANIFOLDS				RELIANCE MIXING VALVE			
	Size	Code	Euro		Size	Code	Euro
	2 Zone System Link Manifold	SZD4	€370.65		1" 35-60 Deg.	PMV100	€135.00
	3 Zone System Link Manifold	SZD5	€511.35				
	4 Zone System Link Manifold	SZD6	€600.60				
	Systemlex Controller	SLXEV4	€193.20				
PLC CONTROLLERS				NORMALLY CLOSED SERVOMOTORS			
	Size	Code	Euro		Size	Code	Euro
	Q4 PLC Control Panel	Q4	€318.15		230v 30mm Thread	PS30230	€21.00
Q8 PLC Control Panel	Q8	€466.20	24v 30mm Thread		PS3024	€21.00	
			30mm Servomotor Spare Ring		PSRING30	€2.00	
			28mm Servomotor Spare Ring		PSRING28	€2.00	


Underfloor Heating Pricelist March 2019

230v RANGE (4 core 1.5mmsq)


	Dial Thermostat w/ LCD	DS1-L	€44.88
	Temperature Range	05-35°C	
	Mounting Range	Surface	
	Set Back Function	No	
	Digital Display	Yes	
	Time Clock Override Switch	No	
	Dial Lock	Yes	
	Built in Air Sensor	Yes	
	Floor Sensing Mode	No	
	Floor Probe Included	No	
	Built in Air & Floor	No	
	Adjustable Switching Differential	Yes	
	Accuracy	+/- 1.5°C	
	Dimensions	92x92x34mm	
Max Switching Current	3A		
Supply	230V		
Weight	150g		

	Dial Thermostat w/ Set Back	DS-SB	€66.30
	Temperature Range	05-35°C	
	Mounting Range	Flush	
	Set Back Function	Yes	
	Digital Display	No	
	Time Clock Override Switch	Yes	
	Dial Lock	No	
	Built in Air Sensor	Yes	
	Floor Sensing Mode	No	
	Floor Probe Included	No	
	Built in Air & Floor	No	
	Adjustable Switching Differential	No	
	Accuracy	+/- 1.5°C	
	Dimensions	92x92x17mm	
Max Switching Current	3A		
Supply	230V		
Weight	150g		

	Programmable Room Thermostat Button Type	Slimline230	€85.68
	Temperature Range	05-35°C	
	Blue Back-Lit Screen	Yes	
	5/2 Day Programming	Yes	
	7 Day Programming	Yes	
	Number of Heating Levels	4	
	Optimum Start	Yes	
	Number of HW Times	0	
	Holiday Function	Yes	
	Keylock Function	Yes	
	Temperature Hold Function	Yes	
	Temperature Override	Yes	
	Temperature Override Limit	Yes	
	Frost Protection	Yes	
	Networking Facility	No	
	°C/°F Option	Yes	
	Remote Air Sensor Connection	No	
	Built in Air Sensor	Yes	
	Floor Sensor Mode	No	
	Floor Sensor Included	No	
Max Switching Current	3A		
Accuracy	+/- 1°C		
Infrared Remote Control Option	Yes		
Adjustable Switching Differential	Yes		
Supply	230v		
Installed Dimensions	98x85x13mm		
Weight	195g		

	Programmable Room Thermostat Touchscreen Type	TOUCH	€110.16
	Temperature Range	05-35°C	
	Blue Back-Lit Screen	Yes	
	5/2 Day Programming	Yes	
	7 Day Programming	Yes	
	Number of Heating Levels	4	
	Optimum Start	Yes	
	Number of HW Times	0	
	Holiday Function	Yes	
	Keylock Function	Yes	
	Temperature Hold Function	Yes	
	Temperature Override	Yes	
	Temperature Override Limit	Yes	
	Frost Protection	Yes	
	Networking Facility	No	
	C/F Option	Yes	
	Remote Air Sensor Connection	No/Yes	
	Built in Air Sensor	Yes	
	Floor Sensor Mode	No	
	Floor Sensor Included	No	
Max Switching Current	3A		
Accuracy	+/- 1°C		
Infrared Remote Control Option	No		
Adjustable Switching Differential	Yes		
Supply	230v		
Installed Dimensions	110x100x17mm		

BATTERY POWERED (2 core 1.5mmsq)



	Programmable Room Thermostat Button Type - Battery Powered	PRT-B	€86.70
	Temperature Range	05-35°C	
	Blue Back-Lit Screen	Yes	
	5/2 Day Programming	Yes	
	7 Day Programming	Yes	
	Number of Heating Levels	4	
	Optimum Start	Yes	
	Number of HW Times	0	
	Holiday Function	Yes	
	Keylock Function	Yes	
	Temperature Hold Function	Yes	
	Temperature Override	Yes	
	Temperature Override Limit	Yes	
	Frost Protection	Yes	
	Networking Facility	No	
	C/F Option	Yes	
	Remote Air Sensor Connection	No	
	Remote Air Sensor Included	No	
	Floor Sensor Mode	No	
Floor Sensor Included	No		
Max Switching Current	3A		
Accuracy	+/- 1°C		
Infrared Remote Control Option	No		
Adjustable Switching Differential	Yes		
Supply	2xAAA Battery		
Installed Dimensions	92x92x17mm		

ACCESSORIES

	Remote Air Probe/Floor Probe MISC103
	Probe Sensor Box ENE030


Underfloor Heating Pricelist March 2019


230v RANGE (4 core 1.5sqmm)

Programmable Room Thermostat Soft Touch Type 	NEOSTAT Temperature Range 05-35°C White Back-Lit Screen Yes 5/2 Day Programming Yes 7 Day Programming Yes Number of Heating Levels 4 Optimum Start Yes Holiday Function Yes Keylock Function Yes Temperature Hold Function Yes Temperature Override Yes Temperature Override Limit Yes Frost Protection Yes °C/°F Option Yes Remote Air Sensor Connection Yes Built in Air Sensor Yes Floor Sensor Mode Yes Floor Sensor Included No Max Switching Current 3A Accuracy +/-1C Infrared Remote Control Option Yes Adjustable Switching Differential Yes Supply 230v Installed Dimensions 98x85x13mm Weight 195g	€115.26
	NEOSTAT-B 	


System Gateway for Neostat 	NEOHUB Allows App Control of Neostats (Compatible with iPhone, iPad, Android and Windows Phone) System Gateway for Neo Control up to 32 Rooms	€234.41
		


WIRELESS RANGE

230v Wiring Centre 	UH8 €99.96
<p>The UH8 is designed to work with our four channel 230v time clock (TM4) and 230v Set Back thermostat (DS-SB) but equally could be used with any of our 230V thermostats. Up to eight zones can be controlled from the UH8. On board the UH8 are two heating time channels, each zone allows you to specify which time channel it should follow.</p> <p>Two additional time channel connections are provided for hot water control or other auxiliary devices. On demand from any zone, a 230v output is provided to switch the relevant zone actuator, underfloor heating pump and valve. A volt free connection is supplied for the boiler, making it compatible with almost all types of boilers. A simple slide switch makes zone 8 suitable for controlling a radiator zone. When used for controlling radiators, zone 8 does not enable the underfloor heating pump, valve and boiler. Up to four actuators can be connected to each zone.</p>	

Wiring Centre for Wireless Thermostats 	UH8-RF €210.12
<p>The UH8-RF is designed to be used in conjunction with our compatible wireless thermostats. The UH8-RF provides central switching and is therefore ideally situated next to the underfloor heating manifold. Eight zones can be controlled as well as providing an output for a hot water cylinder.</p> <p>On demand from any zone, a 230v output is provided to switch the relevant zone actuators, underfloor heating pump and valve. A volt free connection is supplied for the boiler, making it compatible with almost all types of boilers. Up to six actuators can be connected to each zone. An external aerial is available for use when the UH8-RF is being mounted in a metal cupboard or when the wireless signal is restricted.</p> <p>A software option in the thermostat allows you to configure which zones are underfloor heating and which zones are radiators.</p>	


WIRELESS RANGE


Programmable Room Thermostat Button Type 	SLIMLINERF Temperature Range 05-35°C Blue Back-Lit Screen Yes 5/2 Day Programming Yes 7 Day Programming Yes Number of Heating Levels 4 Optimum Start Yes Holiday Function Yes Keylock Function Yes Temperature Hold Function Yes Temperature Override Yes Temperature Override Limit Yes Frost Protection Yes C/F Option Yes Accuracy +/-1C Wireless Fail Safe Function Yes RF Frequency 868MHz Operational Range (Open Space) Up to 100m Battery Life Typically 1 Year Adjustable Switching Differential Yes Supply 2 x AAA Mounting Type Wall Installed Dimensions 85x98x24mm Weight 106g	€94.86


Programmable Room Thermostat Touchscreen Type 	TOUCH-RF Temperature Range 05-35°C Blue Back-Lit Screen Yes 5/2 Day Programming Yes 7 Day Programming Yes Number of Heating Levels 4 Optimum Start Yes Holiday Function Yes Keylock Function Yes Temperature Hold Function Yes Temperature Override Yes Temperature Override Limit Yes Frost Protection Yes C/F Option Yes Accuracy +/-1C Wireless Fail Safe Function Yes RF Frequency 868MHz Operational Range (Open Space) Up to 100m Adjustable Switching Differential Yes Supply Rechargeable Mounting Type Wall/Stand Installed Dimensions 110x100x20mm Weight 198g	€113.50

Underfloor Heating Pricelist March 2019

12v RANGE (Cat5, Cat5e, Cat6 Cable)


Programmable Room Thermostat Button Type	SLIMLINE-N	€78.54																																																	
		<table border="0"> <tr><td>Temperature Range</td><td>05-35°C</td></tr> <tr><td>Blue Back-Lit Screen</td><td>Yes</td></tr> <tr><td>5/2 Day Programming</td><td>Yes</td></tr> <tr><td>7 Day Programming</td><td>Yes</td></tr> <tr><td>Number of Heating Levels</td><td>4</td></tr> <tr><td>Optimum Start</td><td>Yes</td></tr> <tr><td>Holiday Function</td><td>Yes</td></tr> <tr><td>Keylock Function</td><td>Yes</td></tr> <tr><td>Temperature Hold Function</td><td>Yes</td></tr> <tr><td>Temperature Override</td><td>Yes</td></tr> <tr><td>Temperature Override Limit</td><td>Yes</td></tr> <tr><td>Frost Protection</td><td>Yes</td></tr> <tr><td>Networking Facility</td><td>Yes</td></tr> <tr><td>°C/°F Option</td><td>Yes</td></tr> <tr><td>Remote Air Sensor Connection</td><td>No</td></tr> <tr><td>Built in Air Sensor</td><td>Yes</td></tr> <tr><td>Floor Sensor Mode</td><td>No</td></tr> <tr><td>Floor Sensor Included</td><td>No</td></tr> <tr><td>Max Switching Current</td><td>3A</td></tr> <tr><td>Accuracy</td><td>+/-1°C</td></tr> <tr><td>Infrared Remote Control Option</td><td>Yes</td></tr> <tr><td>Adjustable Switching Differential</td><td>Yes</td></tr> <tr><td>Supply</td><td>12v</td></tr> <tr><td>Installed Dimensions</td><td>98x85x13mm</td></tr> <tr><td>Weight</td><td>195g</td></tr> </table>	Temperature Range	05-35°C	Blue Back-Lit Screen	Yes	5/2 Day Programming	Yes	7 Day Programming	Yes	Number of Heating Levels	4	Optimum Start	Yes	Holiday Function	Yes	Keylock Function	Yes	Temperature Hold Function	Yes	Temperature Override	Yes	Temperature Override Limit	Yes	Frost Protection	Yes	Networking Facility	Yes	°C/°F Option	Yes	Remote Air Sensor Connection	No	Built in Air Sensor	Yes	Floor Sensor Mode	No	Floor Sensor Included	No	Max Switching Current	3A	Accuracy	+/-1°C	Infrared Remote Control Option	Yes	Adjustable Switching Differential	Yes	Supply	12v	Installed Dimensions	98x85x13mm	Weight
Temperature Range	05-35°C																																																		
Blue Back-Lit Screen	Yes																																																		
5/2 Day Programming	Yes																																																		
7 Day Programming	Yes																																																		
Number of Heating Levels	4																																																		
Optimum Start	Yes																																																		
Holiday Function	Yes																																																		
Keylock Function	Yes																																																		
Temperature Hold Function	Yes																																																		
Temperature Override	Yes																																																		
Temperature Override Limit	Yes																																																		
Frost Protection	Yes																																																		
Networking Facility	Yes																																																		
°C/°F Option	Yes																																																		
Remote Air Sensor Connection	No																																																		
Built in Air Sensor	Yes																																																		
Floor Sensor Mode	No																																																		
Floor Sensor Included	No																																																		
Max Switching Current	3A																																																		
Accuracy	+/-1°C																																																		
Infrared Remote Control Option	Yes																																																		
Adjustable Switching Differential	Yes																																																		
Supply	12v																																																		
Installed Dimensions	98x85x13mm																																																		
Weight	195g																																																		

Programmable Room Thermostat Touchscreen Type	TOUCH-N	€121.14																																															
		<table border="0"> <tr><td>Temperature Range</td><td>05-35°C</td></tr> <tr><td>Blue Back-Lit Screen</td><td>Yes</td></tr> <tr><td>5/2 Day Programming</td><td>Yes</td></tr> <tr><td>7 Day Programming</td><td>Yes</td></tr> <tr><td>Number of Heating Levels</td><td>4</td></tr> <tr><td>Optimum Start</td><td>Yes</td></tr> <tr><td>Holiday Function</td><td>Yes</td></tr> <tr><td>Keylock Function</td><td>Yes</td></tr> <tr><td>Temperature Hold Function</td><td>Yes</td></tr> <tr><td>Temperature Override</td><td>Yes</td></tr> <tr><td>Temperature Override Limit</td><td>Yes</td></tr> <tr><td>Frost Protection</td><td>Yes</td></tr> <tr><td>Networking Facility</td><td>No</td></tr> <tr><td>C/F Option</td><td>Yes</td></tr> <tr><td>Remote Air Sensor Connection</td><td>No/Yes</td></tr> <tr><td>Built in Air Sensor</td><td>Yes</td></tr> <tr><td>Floor Sensor Mode</td><td>No</td></tr> <tr><td>Floor Sensor Included</td><td>No</td></tr> <tr><td>Max Switching Current</td><td>3A</td></tr> <tr><td>Accuracy</td><td>+/-1°C</td></tr> <tr><td>Infrared Remote Control Option</td><td>No</td></tr> <tr><td>Adjustable Switching Differential</td><td>Yes</td></tr> <tr><td>Supply</td><td>12v</td></tr> <tr><td>Installed Dimensions</td><td>110x100x17mm</td></tr> </table>	Temperature Range	05-35°C	Blue Back-Lit Screen	Yes	5/2 Day Programming	Yes	7 Day Programming	Yes	Number of Heating Levels	4	Optimum Start	Yes	Holiday Function	Yes	Keylock Function	Yes	Temperature Hold Function	Yes	Temperature Override	Yes	Temperature Override Limit	Yes	Frost Protection	Yes	Networking Facility	No	C/F Option	Yes	Remote Air Sensor Connection	No/Yes	Built in Air Sensor	Yes	Floor Sensor Mode	No	Floor Sensor Included	No	Max Switching Current	3A	Accuracy	+/-1°C	Infrared Remote Control Option	No	Adjustable Switching Differential	Yes	Supply	12v	Installed Dimensions
Temperature Range	05-35°C																																																
Blue Back-Lit Screen	Yes																																																
5/2 Day Programming	Yes																																																
7 Day Programming	Yes																																																
Number of Heating Levels	4																																																
Optimum Start	Yes																																																
Holiday Function	Yes																																																
Keylock Function	Yes																																																
Temperature Hold Function	Yes																																																
Temperature Override	Yes																																																
Temperature Override Limit	Yes																																																
Frost Protection	Yes																																																
Networking Facility	No																																																
C/F Option	Yes																																																
Remote Air Sensor Connection	No/Yes																																																
Built in Air Sensor	Yes																																																
Floor Sensor Mode	No																																																
Floor Sensor Included	No																																																
Max Switching Current	3A																																																
Accuracy	+/-1°C																																																
Infrared Remote Control Option	No																																																
Adjustable Switching Differential	Yes																																																
Supply	12v																																																
Installed Dimensions	110x100x17mm																																																

Programmable Room Thermostat & Hot Water Control-Button Type	SLIMLINE-HW-N	€83.64																																																			
		<table border="0"> <tr><td>Temperature Range</td><td>05-35°C</td></tr> <tr><td>Blue Back-Lit Screen</td><td>Yes</td></tr> <tr><td>5/2 Day Programming</td><td>Yes</td></tr> <tr><td>7 Day Programming</td><td>Yes</td></tr> <tr><td>Number of Heating Levels</td><td>4</td></tr> <tr><td>Optimum Start</td><td>Yes</td></tr> <tr><td>Number of HW Times</td><td>4</td></tr> <tr><td>Holiday Function</td><td>Yes</td></tr> <tr><td>Keylock Function</td><td>Yes</td></tr> <tr><td>Temperature Hold Function</td><td>Yes</td></tr> <tr><td>Temperature Override</td><td>Yes</td></tr> <tr><td>Temperature Override Limit</td><td>Yes</td></tr> <tr><td>Frost Protection</td><td>Yes</td></tr> <tr><td>Networking Facility</td><td>Yes</td></tr> <tr><td>C/F Option</td><td>Yes</td></tr> <tr><td>Remote Air Sensor Connection</td><td>Yes</td></tr> <tr><td>Built in Air Sensor</td><td>Yes</td></tr> <tr><td>Floor Sensor Mode</td><td>No</td></tr> <tr><td>Floor Sensor Included</td><td>No</td></tr> <tr><td>Max Switching Current</td><td>3A</td></tr> <tr><td>Accuracy</td><td>+/-1°C</td></tr> <tr><td>Infrared Remote Control Option</td><td>Yes</td></tr> <tr><td>Adjustable Switching Differential</td><td>Yes</td></tr> <tr><td>Supply</td><td>12v</td></tr> <tr><td>Installed Dimensions</td><td>98x85x13mm</td></tr> <tr><td>Weight</td><td>195g</td></tr> </table>	Temperature Range	05-35°C	Blue Back-Lit Screen	Yes	5/2 Day Programming	Yes	7 Day Programming	Yes	Number of Heating Levels	4	Optimum Start	Yes	Number of HW Times	4	Holiday Function	Yes	Keylock Function	Yes	Temperature Hold Function	Yes	Temperature Override	Yes	Temperature Override Limit	Yes	Frost Protection	Yes	Networking Facility	Yes	C/F Option	Yes	Remote Air Sensor Connection	Yes	Built in Air Sensor	Yes	Floor Sensor Mode	No	Floor Sensor Included	No	Max Switching Current	3A	Accuracy	+/-1°C	Infrared Remote Control Option	Yes	Adjustable Switching Differential	Yes	Supply	12v	Installed Dimensions	98x85x13mm	Weight
Temperature Range	05-35°C																																																				
Blue Back-Lit Screen	Yes																																																				
5/2 Day Programming	Yes																																																				
7 Day Programming	Yes																																																				
Number of Heating Levels	4																																																				
Optimum Start	Yes																																																				
Number of HW Times	4																																																				
Holiday Function	Yes																																																				
Keylock Function	Yes																																																				
Temperature Hold Function	Yes																																																				
Temperature Override	Yes																																																				
Temperature Override Limit	Yes																																																				
Frost Protection	Yes																																																				
Networking Facility	Yes																																																				
C/F Option	Yes																																																				
Remote Air Sensor Connection	Yes																																																				
Built in Air Sensor	Yes																																																				
Floor Sensor Mode	No																																																				
Floor Sensor Included	No																																																				
Max Switching Current	3A																																																				
Accuracy	+/-1°C																																																				
Infrared Remote Control Option	Yes																																																				
Adjustable Switching Differential	Yes																																																				
Supply	12v																																																				
Installed Dimensions	98x85x13mm																																																				
Weight	195g																																																				


Programmable Room Thermostat Soft Touch Type	NEOSTAT-N/NEOSTAT-N-B	€115.26																																																			
	 	<table border="0"> <tr><td>Temperature Range</td><td>05-35°C</td></tr> <tr><td>White Back-Lit Screen</td><td>Yes</td></tr> <tr><td>5/2 Day Programming</td><td>Yes</td></tr> <tr><td>7 Day Programming</td><td>Yes</td></tr> <tr><td>Number of Heating Levels</td><td>4</td></tr> <tr><td>Optimum Start</td><td>Yes</td></tr> <tr><td>Number of HW Times</td><td>0</td></tr> <tr><td>Holiday Function</td><td>Yes</td></tr> <tr><td>Keylock Function</td><td>Yes</td></tr> <tr><td>Temperature Hold Function</td><td>Yes</td></tr> <tr><td>Temperature Override</td><td>Yes</td></tr> <tr><td>Temperature Override Limit</td><td>Yes</td></tr> <tr><td>Frost Protection</td><td>Yes</td></tr> <tr><td>Networking Facility</td><td>No</td></tr> <tr><td>°C/°F Option</td><td>Yes</td></tr> <tr><td>Remote Air Sensor Connection</td><td>Yes</td></tr> <tr><td>Built in Air Sensor</td><td>Yes</td></tr> <tr><td>Floor Sensor Mode</td><td>Yes</td></tr> <tr><td>Floor Sensor Included</td><td>No</td></tr> <tr><td>Max Switching Current</td><td>3A</td></tr> <tr><td>Accuracy</td><td>+/-1°C</td></tr> <tr><td>Infrared Remote Control Option</td><td>Yes</td></tr> <tr><td>Adjustable Switching Differential</td><td>Yes</td></tr> <tr><td>Supply</td><td>12v</td></tr> <tr><td>Installed Dimensions</td><td>98x85x13mm</td></tr> <tr><td>Weight</td><td>195g</td></tr> </table>	Temperature Range	05-35°C	White Back-Lit Screen	Yes	5/2 Day Programming	Yes	7 Day Programming	Yes	Number of Heating Levels	4	Optimum Start	Yes	Number of HW Times	0	Holiday Function	Yes	Keylock Function	Yes	Temperature Hold Function	Yes	Temperature Override	Yes	Temperature Override Limit	Yes	Frost Protection	Yes	Networking Facility	No	°C/°F Option	Yes	Remote Air Sensor Connection	Yes	Built in Air Sensor	Yes	Floor Sensor Mode	Yes	Floor Sensor Included	No	Max Switching Current	3A	Accuracy	+/-1°C	Infrared Remote Control Option	Yes	Adjustable Switching Differential	Yes	Supply	12v	Installed Dimensions	98x85x13mm	Weight
Temperature Range	05-35°C																																																				
White Back-Lit Screen	Yes																																																				
5/2 Day Programming	Yes																																																				
7 Day Programming	Yes																																																				
Number of Heating Levels	4																																																				
Optimum Start	Yes																																																				
Number of HW Times	0																																																				
Holiday Function	Yes																																																				
Keylock Function	Yes																																																				
Temperature Hold Function	Yes																																																				
Temperature Override	Yes																																																				
Temperature Override Limit	Yes																																																				
Frost Protection	Yes																																																				
Networking Facility	No																																																				
°C/°F Option	Yes																																																				
Remote Air Sensor Connection	Yes																																																				
Built in Air Sensor	Yes																																																				
Floor Sensor Mode	Yes																																																				
Floor Sensor Included	No																																																				
Max Switching Current	3A																																																				
Accuracy	+/-1°C																																																				
Infrared Remote Control Option	Yes																																																				
Adjustable Switching Differential	Yes																																																				
Supply	12v																																																				
Installed Dimensions	98x85x13mm																																																				
Weight	195g																																																				

12v Wiring Centre	UH8-N	€202.00
--------------------------	--------------	----------------



The UH1 is designed to be used in conjunction with our 12v network thermostats. The UH1 provides central switching and is therefore ideally situated next to the underfloor heating manifold. Eight zones can be controlled as well as providing an output for a hot water cylinder. On demand from any zone, a 230v output is provided to switch the relevant zone actuators, underfloor heating pump and valve. A volt free connection is supplied for the boiler, making it compatible with almost all types of boilers. Up to six actuators can be connected to each zone. An option is provided to turn zone 8 into a radiator zone. In this mode, the underfloor heating pump, valve and boiler are not enabled when there is a call for heat from zone 8. The UH1 provides a network port allowing connection to our network products, including the Central Touchpad.

Central Touchpad Controller	PTPC	€520.00
------------------------------------	-------------	----------------




The Heatmiser TouchPad is designed to work with our 12v Network Thermostats providing you with a central point to control your heating system.

As your system grows, consideration should be given to how you will effectively control the system in order to benefit from the potential savings by having a zoned system. Re-programming individual thermostats would be time consuming, using the TouchPad makes it simple!


Up to 32 rooms can be controlled from the full colour TFT display meaning that walking around each room to turn up or down the heating is a thing of the past.

Calpex Pricelist March 2019


CALPEX UNO

	Size (mm)	DN (mm)	Inches	Bending Radius (m)	Weight (m)	Max Coil	Trans Code	Part Code	Price
	25/76	20	3/4"	0.7	0.9	1000m	1007296	59790	€19.56
	32/76	25	1"	0.7	1	1000m	1007297	59816	€22.82
	40/91	32	1 1/4"	0.8	1.39	715m	1007299	59817	€27.17
	50/111	40	1 1/2"	0.9	1.97	450m	1007301	59794	€38.04
	63/126	50	2"	1	2.6	291m	1007303	59796	€51.08
	75/142	65	2 1/2"	1.1	3.39	260m	1007304	59798	€66.29
	90/162	80	3"	1.2	4.56	149m	1007305	59800	€80.42
	110/162	100	4"	1.2	5.1	149m	1007306	59792	€102.15
	125/182	125	5"	1.4	6.37	86m	1007308	59793	€135.84
	160/250	150	6"	N/A	11.31	12m Length	1007309	59795	€215.18


CALPEX DUO

	Size (mm)	DN (mm)	Inches	Bending Radius (m)	Weight (m)	Max Coil	Trans Code	Part Code	Price
	25+25/91	20+20	3/4"+3/4"	0.8	1.34	715m	1007310	59801	€31.52
	32+32/111	25+25	1"+1"	0.9	1.87	450m	1007311	59818	€38.04
	40+40/126	32+32	1 1/4"+1 1/4"	1	2.48	291m	1007313	59819	€47.82
	50+50/162	40+40	1 1/2"+1 1/2"	1.2	3.96	149m	1007314	59804	€68.47
	63+63/182	50+50	2"+2"	1.4	5.28	86m	1007315	17514	€108.68


QUADRIGA CALPEX

	Size (mm)	DN (mm)	Inches	Bending Radius (m)	Weight (m)	Max Coil	Trans Code	Part Code	Price
	25+25+28+22/142	20+20+20+16	3/4"+3/4"+3/4"+5/8"	1.1	3.25	180m	1011972	71900	€66.29
	32+32+28+22/142	25+25+20+16	1"+1"+3/4"+5/8"	1.1	3.39	180m	1011951	70870	€70.64
	32+32+32+22/142	25+25+25+16	1"+1"+1"+5/8"	1.1	3.41	180m	1011974	71901	€70.64
	40+40+40+28/162	32+32+32+20	1 1/4"+1 1/4"+1 1/4"+3/4"	1.2	4.15	105m	1011976	71902	€84.77


UNO END CAPS

	Size (mm)	DN (mm)	Inches	Part Code	Price
	25/76	20	3/4"	69617	€4.22
	32/76	25	1"	69624	€4.22
	40/91	32	1 1/4"	69625	€5.28
	50/111	40	1 1/2"	69626	€5.28
	63/126	50	2"	69627	€5.28
	75/142	65	2 1/2"	69628	€6.33
	90/162	80	3"	69629	€7.39
	110/162	100	4"	69630	€7.39
	125/182	125	5"	69615	€9.50
	160/250	150	6"	N/A	POA


DUO END CAPS

	Size (mm)	DN (mm)	Inches	Part Code	Price
	25+25/91	20+20	3/4"+3/4"	69637	€5.28
	32+32/111	25+25	1"+1"	69634	€5.28
	40+40/126	32+32	1 1/4"+1 1/4"	69635	€5.28
	50+50/162	40+40	1 1/2"+1 1/2"	69636	€7.39
	63+63/182	50+50	2"+2"	18079	€9.50


QUADRIGA END CAPS

	Size (mm)	DN (mm)	Inches	Part Code	Price
	25+25+28+22/142	20+20+20+16	3/4"+3/4"+3/4"+5/8"	73780	€7.39
	32+32+28+22/142	25+25+20+16	1"+1"+3/4"+5/8"	73781	€7.39
	32+32+32+22/142	25+25+25+16	1"+1"+1"+5/8"	73782	€7.39
	40+40+40+28/162	32+32+32+20	1 1/4"+1 1/4"+1 1/4"+3/4"	73783	€7.39

HEATING FITTINGS

	Size (mm)	DN (mm)	Inches	Part Code	Price
	25x2.3	20	3/4"	55281	€12.58
	32x2.9	25	1"	55283	€17.37
	40x3.7	32	1 1/4"	55284	€26.19
	50x4.6	40	1 1/2"	55285	€39.39
	63x5.7	50	2"	55286	€53.66
	75x6.8	65	2 1/2"	55287	€90.47
	90x8.2	80	3"	55288	€195.57
	110x10	100	4"	63320	€239.40


SANITARY FITTINGS

	Size (mm)	DN (mm)	Inches	Part Code	Price
	22x3	16	5/8" (3/4")	55280	€17.10
	28x4	20	3/4"	55282	€17.71
	32x4.4	25	1"	55289	€18.65
	40x5.5	32	1 1/4"	55290	€27.88
	50x6.9	40	1 1/2"	55291	€46.22
	63x8.7	50	2"	55292	€56.79


* Denotes Items not Stocked, 10 working day Lead Time

Eigerflex Pricelist March 2019


EIGERFLEX UNO WITHOUT HEATING CABLE

	Size (mm)	DN (mm)	Inches	Bending Radius (m)	Weight (m)	Part Code	Price
	25/76	20	3/4"	0.7	0.9	10491	€25.00
	32/76	25	1"	0.7	1	10492	€26.08
	40/91	32	1 1/4"	0.8	1.39	10493	€28.26
	50/91	40	1 1/2"	0.8	1.54	12027	€31.52
	63/126	50	2"	1	2.6	12028	€44.56
	75/126	65	2 1/2"	1	2.75	12020	€51.08
	90/162	80	3"	1.2	4.56	12036	€69.55
	110/162	100	4"	1.2	5.69	17325	€76.07

EIGERFLEX UNO WITH HEATING CABLE

	Size (mm)	DN (mm)	Inches	Bending Radius (m)	Weight (m)	Part Code	Price
	25/76	20	3/4"	0.7	0.9	20001	€44.56
	32/76	25	1"	0.7	1	20002	€47.82
	40/91	32	1 1/4"	0.8	1.39	20003	€48.90
	50/91	40	1 1/2"	0.8	1.54	24212	€0.00
	63/126	50	2"	1	2.6	24213	€0.00
	75/126	65	2 1/2"	1	2.75	*24214	
	90/162	80	3"	1.2	4.56	*24215	
	110/162	100	4"	1.2	5.69	*24216	


UNO END CAPS

	Size (mm)	DN (mm)	Inches	Part Code	Price
	25/76	20	5/8"	69617	€4.22
	32/76	25	3/4"	69624	€4.22
	40/91	32	1"	69625	€5.28
	50/91	40	1 1/4"	69626	€5.28
	63/126	50	2"	69627	€5.28
	75/126	65	2 1/2"	69628	€6.33
	90/162	80	3"	69629	€7.39
	110/162	100	4"	69630	€7.39

HEATING FITTINGS

Size (mm)	DN (mm)	Inches	Part Code	Price
25x2.3	20	3/4"	55281	€12.58
32x2.9	25	1"	55283	€17.37
40x3.7	32	1 1/4"	55284	€26.19
40x4.6	40	1 1/2"	55285	€39.39
63x5.7	50	2"	55286	€53.66
75x6.8	65	2 1/2"	55287	€90.47
90x8.2	80	3"	55288	€195.57
110x10	100	4"	63320	€239.40

HEATING ELEMENT ACCESSORIES

	Description	Part Code	Price
	Connection Heating Strip/Cold Lead A-H/K	19029	€26.91
	End Closure EA-H	19030	€15.53
	Sealing Set For Temperature Sensor	16302	€30.02
	Thermostat UTR 15 With Sensor Cable	19033	€303.26


Note One Of All Of The Above Are Required Per Trace Heating Line

*Price on Request


ALL ITEMS ARE NON-STOCKED ITEMS, 10 WORKING DAY LEAD TIME

Casaflex Pricelist March 2019


CASAFLEX UNO

	Size (mm)	DN (mm)	Inches	Bending Radius (m)	Weight (m)	Part Code	Price
	22/91	20	3/4"	0.8	1.3	83801091	€52.16
	30/91	25	1"	0.8	1.48	83801290	€54.34
	39/111	32	1 1/4"	1	2.15	83801490	€107.64
	48/111	40	1 1/2"	1	2.46	83801690	€69.55
	60/126	50	2"	1.2	3.02	83801890	€83.68
	75/142	65	2 1/2"	1.5	4.1	83802590	€115.20
	98/162	80	3"	1.8	5.7	83802790	€142.36
	127/182	100	4"	2.2	6.8	83803000	

CASAFLEX DUO

	Size (mm)	DN (mm)	Inches	Bending Radius (m)	Weight (m)	Part Code	Price
	22+22/111	20+20	3/4"	1.1	2.5	83803090	€79.33
	30+30/126	25+25	1"	1.4	3.1	83803190	€89.19
	39+39/142	32+32	1 1/4"	1.5	3.7	83803290	€114.11
	48+48/162	40+40	1 1/2"	1.8	4.2	83803390	€141.28
	60+60/182	50+50	2"	2	5.1	83803490	POA


UNO END CAPS

	Size (mm)	DN (mm)	Inches	Part Code	Price
	22/91	20	3/4"	83911195	€19.00
	30/91	25	1"	83911295	€19.00
	39/111	32	1 1/4"	83911495	€20.00
	48/111	40	1 1/2"	83911690	€16.89
	60/126	50	2"	83911890	€17.95
	75/142	65	2 1/2"	83912190	€61.23
	98/162	80	3"	83912390	€66.30
	127/182	100	4"	POA	

DUO END CAPS

Size (mm)	DN (mm)	Inches	Part Code	Price
22+22/111	20+20	3/4"+3/4"	83911690	€16.89
30+30/126	25+25	1"+1"	83911890	€17.95
39+39/142	32+32	1 1/4"+1 1/4"	83912190	€61.23
48+48/162	40+40	1 1/2"+1 1/2"	83912390	€67.57
60+60/182	50+50	2"+2"	83912490	€89.73

HEATING FITTINGS WITH MALE THREAD

	Size (mm)	DN (mm)	Inches	Part Code	Price
	26.9 x 2.6	20	3/4"	83900195	€124.57
	33.7 x 3.2	25	1"	83900295	€175.25
	42.4 x 3.2	32	1 1/4"	83900395	€195.30
	48.3 x 3.2	40	1 1/2"	83900495	€212.20
	60.3 x 3.6	50	2"	83900595	€271.31
	76.1 x 3.6	65	2 1/2"	83900694	€944.85
	88.9 x 4.0	80	3"	83900894	€1,482.20
	114.3 x 4.5	100	4"	POA	


HEATING FITTINGS WITH WELD END

Size (mm)	DN (mm)	Inches	Part Code	Price
26.9 x 2.6	20	3/4"	83930190	POA
33.7 x 3.2	25	1"	83930290	POA
42.4 x 3.2	32	1 1/4"	83930490	POA
48.3 x 3.2	40	1 1/2"	83930690	POA
60.3 x 3.6	50	2"	83930890	POA
76.1 x 3.6	65	2 1/2"	83930990	POA
88.9 x 4.0	80	3"	83931090	POA
114.3 x 4.5	100	4"	83901290	POA

ALL ITEMS ARE NON-STOCKED ITEMS, 10 WORKING DAY LEAD TIME


Premant Pricelist March 2019

PREMANT RIGID STEEL PRE-INSULATED PIPE April 2018




Size (mm)	DN (mm)	Inches	Weight (m)	Part Code
26.9/90	20	3/4"	2.76	GP20SINS
33.7/90	25	1"	3.17	GP25SINS
42.4/110	32	1 1/4"	4.56	GP32SINS
48.3/110	40	1 1/2"	5.08	GP40SINS
60.3/125	50	2"	6.3	GP50SINS
76.1/140	65	2 1/2"	7.79	GP65SINS
88.9/160	80	3"	9.22	GP80SINS
114.3/200	100	4"	13.34	GP100SINS
139.7/225	125	5"	16.21	GP125SINS
168.3/250	150	6"	21.1	GP150SINS
219.1/315	200	8"	31.36	GP200SINS
273/400	250	10"	45.49	GP250SINS
323.9/450	300	12"	58.9	GP300SINS
355.6/500	350	14"	67.02	GP350SINS
406.4/560	400	16"	85.25	GP400SINS
457/630	450	18"	99.11	GP450SINS
508/710	500	20"	115.5	GP500SINS

PREMANT RIGID STEEL PRE-INSULATED, PRE-FABRICATED, 45/90 DEGREE ELBOW (1m x 1m)



Size (mm)	DN (mm)	Inches	Weight (m)	Part Code
26.9/90	20	3/4"	5.3	GP20ELB45/90
33.7/90	25	1"	6.1	GP25ELB45/90
42.4/110	32	1 1/4"	8.4	GP32ELB45/90
48.3/110	40	1 1/2"	9.2	GP40ELB45/90
60.3/125	50	2"	12.1	GP50ELB45/90
76.1/140	65	2 1/2"	14.8	GP65ELB45/90
88.9/160	80	3"	18.9	GP80ELB45/90
114.3/200	100	4"	25.2	GP100ELB45/90
139.7/225	125	5"	30.1	GP125ELB45/90
168.3/250	150	6"	39.4	GP150ELB45/90
219.1/315	200	8"	57.4	GP200ELB45/90
273/400	250	10"	78.7	GP250ELB45/90
323.9/450	300	12"	100	GP300ELB45/90
355.6/500	350	14"	111	GP350ELB45/90
406.4/560	400	16"	139	GP400ELB45/90
457/630	450	18"	177	GP450ELB45/90
508/710	500	20"	225	GP500ELB45/90

JOINTING KIT C/w PE-SLIDE-ON SLEEVE & INSULATING MATERIAL




Size (mm)	DN (mm)	Inches	Weight (m)	Part Code
26.9/90	20	3/4"	1.2	GP20INSKIT
33.7/90	25	1"	1.2	GP25INSKIT
42.4/110	32	1 1/4"	1.3	GP32INSKIT
48.3/110	40	1 1/2"	1.3	GP40INSKIT
60.3/125	50	2"	1.5	GP50INSKIT
76.1/140	65	2 1/2"	1.7	GP65INSKIT
88.9/160	80	3"	1.9	GP80INSKIT
114.3/200	100	4"	2.3	GP100INSKIT
139.7/225	125	5"	2.4	GP125INSKIT
168.3/250	150	6"	2.5	GP150INSKIT
219.1/315	200	8"	3	GP200INSKIT
273/400	250	10"	3.7	GP250INSKIT
323.9/450	300	12"	4.2	GP300INSKIT
355.6/500	350	14"	7	GP350INSKIT
406.4/560	400	16"	7.7	GP400INSKIT
457/630	450	18"	8.7	GP450INSKIT
508/710	500	20"	13.2	GP500INSKIT


PRICE ONLY AVAILABLE ON REQUEST


Note Other Material Available Upon Request


Items not Stocked, 4 week Lead Time

Multilayer Press System Pricelist March 2019

HEAVY GAUGE MULTILAYER PIPE				
PEX AL PEX MAX. OPP. 95 DEG C @ 10 BAR				
Size	Code	Qty/Pallet	Price/M	
16 x 2mm 100 MT COIL	920100002	2,200m	€1.29	
16 x 2mm 5 MT LENS	920005002	100m/Tube	€1.43	
20 x 2mm 100 MT COIL	920100003	1,400m	€1.52	
20 x 2mm 5 MT LENS	920005003	65m/Tube	€1.72	
26 x 3mm 50 MT COIL	920050004	600m	€2.65	
26 x 3mm 5 MT LENS	920005004	65m/Tube	€2.96	
32 x 3mm 50 MT COIL	920050005	200m	€4.08	
32 x 3mm 5 MT LENS	920005005	25m/Tube	€4.42	
40 x 3.5mm 5MT LNS	920005006	20m/Tube	€7.14	
50 x 4mm 5MT LNS	920005007	20m/Tube	€16.01	
63 x 4.5mm 5MT LNS	920005008	20m/Tube	€28.25	

HEAVY GAUGE MULTILAYER PIPE				
PEX AL PEX MAX. OPP. 95 DEG C @ 10 BAR C/W INSULATION				
Size	Code	Qty/Pallet	Price/M	
16 x 2mm 10mm INSULATION (50 MT COIL)	930050002	700m	€1.43	
16 x 2mm 10mm INSULATION (100 MT COIL)	930100002	1000m	€1.43	
20 x 2mm 10mm INSULATION (50 MT COIL)	930050003	550m	€2.02	
26 x 3mm 10mm INSULATION (50 MT COIL)	930050004	500m	€3.06	
32 x 3mm 10mm INSULATION (25 MT COIL)	930025005	275m	€4.59	
16 x 2mm 6mm INSULATION (100 MT COIL)	930100202	1000m	€1.12	
20 x 2mm 6mm INSULATION (50 MT COIL)	930050203	550m	€1.63	
26 x 3mm 6mm INSULATION (50 MT COIL)	930050204	500m	€2.75	
32 x 3mm 6mm INSULATION (25 MT COIL)	930025205	275m	€3.57	


HEAVY GAUGE MULTILAYER PIPE				
PEX AL PEX MAX. OPP. 95 DEG C @ 10 BAR				
C/W CORRUGATED SLEEVE				
Size	Code	Price/M		
16 x 2mm	940100001	POA		
20 x 2mm	940100002	POA		


LIGHT GAUGE MULTILAYER PIPE				
PE AL PE MAX. OPP. 70 DEG C @ 6 BAR				
USED MAINLY FOR UFH APPLICATIONS				
Size	Code	Price/M		
16 x 2mm (200m Coil)	PEALPE16X200	€0.98		
16 x 2mm (500m Coil)	PEALPE16X500	€0.98		





Presstite Multilayer Sizes			Imperial Copper Copper Sizes			
Outside Diameter	Wall Thickness	Internal Diameter	Size inch	Outside Diameter	Wall Thickness	Internal Diameter
mm	mm	mm		mm	mm	mm
16	2	12				
20	2	16	1/2"	14.7	0.7	13.3
26	3	20	3/4"	21	0.9	19.2
32	3	26	1"	27.4	0.9	25.6
40	3.5	33	1 1/4"	34	1.1	31.8
50	4	42	1 1/2"	40.5	1.1	38.3
63	4.5	54	2"	53.6	1.2	51.2


Multilayer Press System Pricelist March 2019


310 PEX x PEX					
Size	Bag Qty	Box Qty	Code	Euro	
 16 x 2 - 16 x 2	10	150	900310002	€3.15	
20 x 2 - 20 x 2	10	120	900310003	€3.57	
26 x 3 - 26 x 3	5	80	900310004	€4.83	
32 x 3 - 32 x 3	5	50	900310005	€7.67	
40 x 3,5 - 40 x 3,5	5	30	900310006	€13.66	
50 x 4 - 50 x 4	2	20	900310007	€22.38	
63 x 4,5 - 63 x 4,5	2	10	900310008	€50.43	


310 PEX x PEX REDUCER					
Size	Bag Qty	Box Qty	Code	Euro	
 20 x 2 - 16 x 2	10	150	900310032	€3.57	
26 x 2 - 16 x 2	5	80	900310042	€4.62	
26 x 3 - 20 x 2	5	80	900310043	€4.62	
32 x 3 - 16 x 2	5	60	900310052	€7.67	
32 x 3 - 20 x 2	5	60	900310053	€7.67	
32 x 3 - 26 x 3	5	60	900310054	€7.67	
40 x 3,5 - 26 x 3	5	40	900310064	€13.66	
40 x 3,5 - 32 x 3	5	40	900310065	€13.66	
50 x 4 - 26 x 3	2	20	900310074	€23.64	
50 x 4 - 32 x 3	2	20	900310075	€23.22	
50 x 4 - 40 x 3,5	2	20	900310076	€23.11	
63 x 4,5 - 26 x 3	2	10	900310084	€35.72	
63 x 4,5 - 32 x 3	2	10	900310085	€36.25	
63 x 4,5 - 40 x 3,5	2	10	900310086	€37.82	
63 x 4,5 - 50 x 4	2	10	900310087	€44.13	


311 PEX x M.I					
Size	Bag Qty	Box Qty	Code	Euro	
 16 x 2 - R 1/2"	10	150	900311023	€2.94	
20 x 2 - R 1/2"	10	150	900311003	€3.05	
20 x 2 - R 3/4"	10	120	900311034	€4.10	
26 x 3 - R 3/4"	5	80	900311004	€6.20	
26 x 3 - R 1	5	80	900311045	€6.72	
32 x 3 - R 1	5	70	900311005	€7.67	
32 x 3 - R 1 1/4"	5	40	900311056	€8.62	
40 x 3,5 - R 1	5	30	900311065	€11.03	
40 x 3,5 - R 1 1/4"	5	30	900311006	€11.03	
50 x 4 - R 1 1/4"	2	20	900311076	€27.95	
50 x 4 - R 1 1/2"	2	20	900311007	€29.42	
63 x 4,5 - R 2	2	10	900311008	€46.54	


312 PEX x F.I					
Size	Bag Qty	Box Qty	Code	Euro	
 16 x 2 - Rp 1/2"	10	120	900312023	€3.36	
20 x 2 - Rp 1/2"	10	120	900312003	€3.15	
20 x 2 - Rp 3/4"	10	100	900312034	€4.31	
26 x 3 - Rp 3/4"	5	80	900312004	€7.35	
26 x 3 - Rp 1	5	70	900312045	€7.56	
32 x 3 - Rp 1	5	40	900312005	€8.41	
32 x 3 - Rp 1 1/4"	5	30	900312056	€10.51	
40 x 3,5 - Rp 1	5	30	900312065	€11.87	
40 x 3,5 - Rp 1 1/4"	5	30	900312006	€11.77	
50 x 4 - Rp 1 1/4"	2	20	900312076	€28.37	
50 x 4 - Rp 1 1/2"	2	16	900312007	€29.94	
63 x 4,5 - Rp 2	2	10	900312008	€48.33	


315 90° PEX x PEX					
Size	Bag Qty	Box Qty	Code	Euro	
 16 x 2	10	150	900315002	€4.31	
20 x 2	10	100	900315003	€4.41	
26 x 3	5	50	900315004	€6.51	
32 x 3	10	30	900315005	€8.72	
40 x 3,5	5	25	900315006	€17.23	
50 x 4	2	10	900315007	€30.47	
63 x 4,5	2	8	900315008	€51.48	

315 45° PEX x PEX					
Size	Bag Qty	Box Qty	Code	Euro	
 26 x 3	5	50	900315104	€9.46	
32 x 3	5	30	900315105	€12.71	
40 x 3,5	5	25	900315106	€19.23	
50 x 4	2	10	900315107	€32.99	
63 x 4,5	2	6	900315108	€52.95	

316 PEX x M.I					
Size	Bag Qty	Box Qty	Code	Euro	
 16 x 2 - R 1/2"	10	150	900316023	€4.31	
20 x 2 - R 1/2"	10	120	900316003	€4.52	
20 x 2 - R 3/4"	10	100	900316034	€4.73	
26 x 3 - R 3/4"	5	50	900316004	€6.51	
32 x 3 - R 1	5	30	900316005	€9.98	
40 x 3,5 - R 1 1/4"	5	25	900316006	€15.34	
50 x 4 - R 1 1/4"	2	16	900316076	€31.83	
50 x 4 - R 1 1/2"	2	10	900316007	€31.83	
63 x 4,5 - R 2	2	8	900316008	€45.81	

317 PEX x F.I					
Size	Bag Qty	Box Qty	Code	Euro	
 16 x 2 - R 1/2"	10	120	900317023	€4.20	
20 x 2 - Rp 1/2"	10	100	900317003	€4.73	
20 x 2 - Rp 3/4"	10	50	900317034	€6.30	
26 x 3 - Rp 3/4"	10	50	900317004	€6.93	
32 x 3 - Rp 1	5	30	900317005	€11.56	
40 x 3,5 - Rp 1 1/4"	5	25	900317006	€17.44	
50 x 4 - Rp 1 1/4"	2	16	900317076	€35.20	
50 x 4 - Rp 1 1/2"	2	10	900317007	€36.04	
63 x 4,5 - Rp 2	2	8	900317008	€50.85	

318 PEX x PEX x PEX					
Size	Bag Qty	Box Qty	Code	Euro	
 16 x 2	10	60	900318002	€5.46	
20 x 2	10	50	900318003	€6.51	
26 x 3	5	30	900318004	€9.04	
32 x 3	5	25	900318005	€12.19	
40 x 3,5	5	15	900318006	€17.86	
50 x 4	2	8	900318007	€40.97	
63 x 4,5	2	4	900318008	€66.19	

318 PEX x PEX x PEX					
Size	Bag Qty	Box Qty	Code	Euro	
 20 x 2 - 16 x 2 - 20 x 2	10	50	900318323	€6.62	
26 x 3 - 16 x 2 - 26 x 3	5	30	900318424	€9.04	
26 x 3 - 20 x 2 - 26 x 3	5	30	900318434	€9.04	
32 x 3 - 16 x 2 - 32 x 3	5	25	900318525	€12.29	
32 x 3 - 20 x 2 - 32 x 3	5	25	900318535	€12.29	
32 x 3 - 26 x 3 - 32 x 3	5	25	900318545	€12.29	
40 x 3,5 - 26 x 3 - 40 x 3,5	5	15	900318646	€18.91	
40 x 3,5 - 32 x 3 - 40 x 3,5	5	15	900318656	€18.91	
50 x 4 - 26 x 3 - 50 x 4	2	10	900318747	€41.71	
50 x 4 - 32 x 3 - 50 x 4	2	10	900318757	€41.71	
50 x 4 - 40 x 3,5 - 50 x 4	2	8	900318767	€42.66	
63 x 4,5 - 40 x 3,5 - 63 x 4,5	2	6	900318868	€66.19	
63 x 4,5 - 50 x 4 - 63 x 4,5	2	6	900318878	€66.19	

Multilayer Press System Pricelist March 2019

330 PEX x F.I x PEX					
Size	Bag	Box Qty	Code	Euro	
16 x 2 - R 1/2"	10	60	900330023	€6.72	
20 x 2 - R 1/2"	10	50	900330033	€6.93	
20 x 2 - R 3/4"	10	40	900330034	€9.04	
26 x 3 - R 1/2"	5	30	900330043	€9.46	
26 x 3 - R 3/4"	5	25	900330004	€10.09	
32 x 3 - R 1/2"	5	25	900330053	€11.98	
32 x 3 - R 3/4"	5	25	900330054	€11.98	
32 x 3 - R 1	5	25	900330005	€12.08	
32 x 3 - R 1 1/4"	5	25	900330056	€14.08	
40 x 3,5 - R 1	5	15	900330065	€15.97	
40 x 3,5 - R 1 1/4"	5	15	900330006	€17.02	
50 x 4 - Rp 1 1/2"	2	6	900330007	€49.59	
63 x 4,5 - R 2	2	4	900330008	€70.39	

318 PEX x PEX x PEX					
Size	Bag	Box Qty	Code	Euro	
20 x 2 - 16 x 2 - 16 x 2	10	50	900318322	€6.62	
20 x 2 - 20 x 2 - 16 x 2	10	50	900318332	€6.62	
26 x 3 - 16 x 2 - 16 x 2	10	50	900318422	€9.04	
26 x 3 - 16 x 2 - 20 x 2	5	30	900318423	€9.04	
26 x 3 - 20 x 2 - 16 x 2	5	30	900318432	€9.04	
26 x 3 - 20 x 2 - 20 x 2	5	30	900318433	€9.04	
26 x 3 - 26 x 3 - 16 x 2	5	30	900318442	€9.04	
26 x 3 - 26 x 3 - 20 x 2	5	30	900318443	€9.04	
32 x 3 - 20 x 2 - 26 x 3	5	25	900318534	€12.29	
32 x 3 - 26 x 3 - 26 x 3	5	25	900318544	€12.29	
32 x 3 - 32 x 3 - 20 x 2	5	25	900318553	€12.29	
32 x 3 - 32 x 3 - 26 x 3	5	25	900318554	€12.29	
40 x 3,5 - 32 x 3 - 32 x 3	5	15	900318655	€18.91	
40 x 3,5 - 26 x 3 - 32 x 3	5	15	900318645	€18.91	
40 x 3,5 - 40 x 3,5 - 26 x 3	5	15	900318664	€18.91	
40 x 3,5 - 40 x 3,5 - 32 x 3	5	15	900318665	€18.91	
50 x 4 - 40 x 3,5 - 40 x 3,5	2	10	900318766	€39.92	
50 x 4 - 32 x 3 - 40 x 3,5	2	10	900318756	€40.13	
50 x 4 - 50 x 4 - 32 x 3	2	10	900318775	€40.55	
50 x 4 - 50 x 4 - 40 x 3,5	2	8	900318776	€41.29	

318 PEX x PEX x PEX					
Size	Bag	Box Qty	Code	Euro	
16 x 2 - 20 x 2 - 16 x 2	10	50	900318232	€6.62	
20 x 2 - 26 x 3 - 20 x 2	10	30	900318343	€9.04	
26 x 3 - 32 x 3 - 26 x 3	2	30	900318454	€12.29	
32 x 3 - 40 x 3,5 - 32 x 3	2	20	900318565	€18.91	
40 x 3,5 - 50 x 4 - 40 x 3,5	2	10	900318676	€42.03	

307 PEX x F.I					
Size	Bag	Box Qty	Code	Euro	
16 x 2 - R 1/2"	10	50	900307023	€4.83	
20 x 2 - R 1/2"	20	50	900307003	€5.46	
20 x 2 - R 3/4"	20	40	900307034	€7.14	
26 x 3 - R 3/4"	5	40	900307004	€7.25	

346 PEX x PEX					
Size	Bag	Box Qty	Code	Euro	
16 X 2		40	900346002	€21.54	
20 X 2		40	900346003	€21.54	
26 X 3		30	900346004	€21.54	

308 90° PEX x PEX					
Size	Code	Euro			
16 x 2 - R 1/2"	900308023	POA			
20 x 2 - R 1/2"	900308003	POA			

RADIATOR UPSTAND 300MM					
Size	Bag	Box Qty	Code	Euro	
14 x 2		60	900325001	€11.03	
16 x 2			900325002	€11.03	

STUB END					
Size	Bag	Code	Euro		
16 X 2 - 15mm METRIC	10	900610123	€4.10		
20 X 2 - 15mm METRIC	10	900610133	€4.52		
26 X 3 - 22mm METRIC	10	900610144	€5.25		

Stop Ends					
Size	Bag	Code	Euro		
16 X 2 Stop End Termination Cap	10	900372002	€3.99		
20 X 2 Stop End Termination Cap	10	900372003	€4.79		
26 X 3 Stop End Termination Cap	10	900372004	€6.39		
32 X 3 Stop End Termination Cap	10	900372005	€8.38		

PRESSTITE MANIFOLD					
Size	Code	Euro			
Presstite 2 Way Manifold	9442	POA			
Presstite 3 Way Manifold	9443	POA			
Presstite 4 Way Manifold	9444	POA			
Presstite 5 Way Manifold	9445	POA			
Presstite 6 Way Manifold	9446	POA			
Presstite 7 Way Manifold	9447	POA			
Presstite 8 Way Manifold	9448	POA			
Presstite Ball Valve 1", 1"	500300005	€23.00			
Presstite Ball Valve 1", 3/4"	500300045	€14.60			






PRESSTITE

Multilayer Press System Pricelist March 2019











BATTERY HYDRAULIC PRESSING TOOL ACO202				BATTERY HYDRAULIC PRESSING TOOL AC102			
	Size 14 - 75MM	Code 900202000	Euro €1,596.44 <i>(****Heads/Jaws Not Included****)</i>		Size 16 - 32MM	Code 900102100	Euro €1,574.81 <i>(****Heads/Jaws Included****)</i>
HIRER /PURCHASE				HIRER /PURCHASE			
ACCESSORIES FOR ACO202				ACCESSORIES FOR AC102			
	Size Spare Charger Spare Battery	Code 900202011 900202021	Euro €167.75 €185.71		Size Spare Charger Spare Battery	Code 900102011 900102021	Euro €138.68 €127.50
PRESSING JAW FOR ACO202				PRESSING JAW FOR AC102			
	Size 16mm 20mm 26mm 32mm 40mm	Code 900202002 900202003 900202004 900202005 900202006	Euro €156.61 €156.61 €156.61 €165.05 €207.02		Size 16mm 20mm 26mm 32mm 40mm	Code 900102002 900102003 900102004 900102005 900102006	Euro €139.09 €139.09 €139.09 €139.09 €172.19
COLLAR & ADAPTER FOR ACO202				DEBURRING TOOL			
	Size 50mm 63mm 50mm & 63mm Collar	Code 900202007 900202008 900202010	Euro €501.86 €601.37 €186.68		Size 16mm 20mm 26mm 32mm 40mm 50mm 63mm	Code 900572002 900572003 900572004 900572005 900572006 900572007 900572008	Euro €31.05 €32.09 €33.12 €39.33 €41.40 €57.96 €105.57
OUTER BENDING SPRING				INNER BENDING SPRING			
	Size 16mm 20mm 26mm 32mm	Code 900573002 900573003 900573004 900573005	Euro €12.42 €16.56 €21.74 €25.88		Size 16mm 20mm 26mm	Code 900574002 900574003 900574004	Euro €8.28 €10.35 €17.60
PIPE SHEARS				PIPE CUTTERS			
	Size 0-42mm	Code 900450001	Euro €18.11		Size 06-67mm 50-140mm	Code 900440002 900440003	Euro €77.63 €128.34

PRESSTITE

Multilayer Press System Pricelist March 2019

<u>PIPE SHEARS</u>				<u>PIPE SHEARS</u>			
	Size 0-35mm	Code 900450002	Euro €41.40		Size 0-63mm	Code 900451003	Euro €84.87
<u>PIPE STRAIGHTENERS</u>				<u>PLASTIC PIPE CLIPS</u>			
	Size 0-26mm Straightner	Code 900403001	Euro €320.85		Size 16 x 2mm Pipe Clip (100/Box) 20 x 2mm Pipe Clip (100/Box) 26 x 3mm Pipe Clip (50/Box) 32 x 3mm Pipe Clip (50/Box) 40 x 3.5mm Pipe Clip (25/Box) 50 x 4mm Pipe Clip (25/Box) 63 x 4.5mm Pipe Clip (25/Box)	Code 900426002 900426003 900426004 900426005 900426006 900426007 900426008	Euro/Box €0.21 €0.21 €0.32 €0.32 €1.20 €0.50 €1.80
<u>DE-COILER</u>							
	Size 4 Arm Pipe Reel	Code 900404001	Euro €329.13				

Multilayer Compression System Pricelist March 2019

310 PEX x PEX					311 PEX x M.I				
Image	Size	Bag	Code	Euro	Image	Size	Bag	Code	Euro
	16 x 2 - 16 x 2	10	910310002	€2.84		16 x 2 - R 1/2"	10	910311023	€1.79
	20 x 2 - 20 x 2	10	910310003	€4.83		20 x 2 - R 1/2"	10	910311003	€2.94
	26 x 3 - 26 x 3	5	910310004	€7.35		16 x 2 - R 3/4"	10	910311024	€2.63
	32 x 3 - 32 x 3	5	910310005	€14.91		20 x 2 - R 3/4"	10	910311034	€3.05
	20 X 2 - 16 X 2	10	910310032	€4.62		26 x 3 - R 3/4"	5	910311004	€4.83
	26 x 3 - 16 x 2	5	910310042	€7.67		26 x 3 - Rp 1"	5	910311045	€4.94
	26 x 3 - 20 x 2	5	910310043	€7.46		32 x 3 - Rp 1"	5	910311005	€9.35
	32 x 3 - 26 x 3	5	910310054	€14.39					
312 PEX x F.I					315 90° PEX x PEX				
Image	Size	Bag	Code	Euro	Image	Size	Bag	Code	Euro
	16 x 2 - R 1/2"	10	910312023	€1.89		16 X 2	10	910315002	€3.26
	20 x 2 - R 1/2"	10	910312003	€2.94		20 X 2	10	910315003	€5.46
	16 x 2 - R 3/4"	10	910312024	€3.05		26 X 3	5	910315004	€7.67
	20 x 2 - R 3/4"	10	910312034	€3.15		32 X 3	5	910315005	€15.02
	26 x 3 - R 3/4"	5	910312004	€4.41					
	26 x 3 - Rp 1"	5	910312045	€5.25					
	32 x 3 - Rp 1"	5	910312005	€7.98					
	316 PEX x M.I					317 PEX x F.I			
Image	Size	Bag	Code	Euro	Image	Size	Bag	Code	Euro
	16 x 2 - R 1/2"	10	910316023	€2.52		16 x 2 - Rp 1/2"	10	910317023	€2.63
	20 x 2 - R 1/2"	10	910316003	€3.57		20 x 2 - Rp 1/2"	10	910317003	€3.78
	20 x 2 - R 3/4"	10	910316034	€3.78		20 x 2 - Rp 3/4"	10	910317034	€4.20
	26 x 3 - R 3/4"	5	910316004	€5.67		26 x 3 - Rp 3/4"	5	910317004	€5.88
	26 x 3 - Rp 1"	5	910316045	€6.83		26 x 3 - Rp 1"	5	910317045	€7.98
	32 x 3 - Rp 1"	5	910316005	€10.71		32 x 3 - Rp 1"	5	910317005	€11.55
318 PEX x PEX x PEX					318 PEX x PEX x PEX REDUCING				
Image	Size	Bag	Code	Euro	Image	Size	Bag	Code	Euro
	16 x 2	10	910318002	€4.73		16 x 2 X 20 x 2 X 16 x 2	10	910318232	€6.93
	20 x 2	10	910318003	€7.88		16 x 2 X 16 x 2 X 20 x 2	10	910318223	€6.93
	26 x 3	5	910318004	€12.50		16 x 2 X 20 x 2 X 20 x 2	10	910318233	€7.35
	32 x 3	5	910318005	€20.69		20 x 2 X 16 x 2 X 20 x 2	10	910318323	€7.35
				26 x 3 X 16 x 2 X 26 x 3		5	910318424	€10.08	
				26 x 3 X 20 x 2 X 20 x 2		5	910318433	€11.87	
				26 x 3 X 20 x 2 X 26 x 3		5	910318434	€12.18	
				32 x 3 X 26 x 3 X 26 x 3		5	910318544	€22.68	
				32 x 3 X 26 x 3 X 32 x 3	5	910318545	€19.11		
331 PEX x M.I x PEX					330 PEX x F.I x PEX				
Image	Size	Bag	Code	Euro	Image	Size	Bag	Code	Euro
	16 x 2 - R 1/2"	10	910331023	€4.31		16 x 2 - R 1/2"	10	910330023	€4.31
	20 x 2 - R 1/2"	10	910331033	€6.51		20 x 2 - R 1/2"	10	910330033	€6.30
	20 x 2 - R 3/4"	10	910331034	€6.51		20 x 2 - R 3/4"	10	910330034	€6.41
	26 x 3 - R 3/4"	5	910331004	€10.08		26 x 3 - R 3/4"	5	910330004	€10.19
	26 x 3 - Rp 1"	5	910331045	€13.44		26 x 3 - Rp 1"	5	910330045	€15.75
	32 x 3 - Rp 1"	5	910331005	€20.16		32 x 3 - Rp 1"	5	910330005	€19.85
307 PEX x F.I									
Image	Size	Bag	Code	Euro					
	16 x 2 - R 1/2"	10	910307023	€3.36					
	20 x 2 - R 1/2"	10	910307003	€5.25					




Polytherm[®]

Heating Systems

*Furry Park Industrial Estate,
Santry,
Dublin 9*

*Tel: 00353 1 842 7037
Fax: 00353 1 842 7045*

*Muirfield Drive,
Naas Road,
Dublin 12*

*Tel: 00353 1 419 1990
Fax: 00353 1 458 4808
Email: info@polytherm.ie*

*South Ring West Business Park,
Tramore Road,
Cork*

*Tel: 00353 21 432 1066
Fax: 00353 21 432 1068*